

OBV 2 Specifications



TRUCK

Length: 10,90m Width: 4,10 m (expanded) Height: 3,85 m
License Plate: 80-BPF-1

Utility Van

Length: 9,25 m Width: 3,10 m
License Plate: 85-BPF-6

Power

380/400 Volt
1x63 Amps
CEE Form 2 X 63 Amps

VISION

10 x Grass-Valley DLX 86-n Universe
1 x LDX80-n Compact Universe

Optional

10 x Sony F5 Large Sensor Camera

ROUTING

Snell Sirius Matrice HD 366x288,
AXON Cerebrum control system
Distribution, Conversion & Synchronising
Snell
LAWO V-PRO 8 Channel video corrector

Graphics

Xpression (optional)

VISION MIXER

Grassvalley Karerra 3M/E, 72 inputs, 16 Scalar inputs, 36 outputs

EVS

Viewing

3 x 16" Kroma LCD with multi-viewing

Kroma LCD DUO 4x 9" VTR3

1 x XT3 8 Channel

1 x X-file 3

3 positions EVS

1 x Softron Movierecorder 8 Channel recorder

SOUND

Audio Mixer

Stagetech Crescendo 24 faders

48 Microphone inputs

32 Line inputs

32 Line outputs

4 x 64 MADI in/out

1x 64 Dante in/out

4x Glenn-sound Com-box

20x Stageteq Embedder/De-embedder

8 x Lawo VPRO Embedder/De-embedder

Dan Dugan Automix

Routing

Nexus audio router

Monitoring

Dynaudio BM6A

Record/play

Multitrack 128Ch.

(optional)

INTERCOM

Clearcom Eclipse Median 84x84

18 x Keypanels

3 x Desktop panels

2 x Field Panel boxen

20 x Clearcom 4W Interface

1 x IP-Voice codec

Wireless intercom

20 x Clearcom Freespeak Beltpack (5 Channels Full Duplex) Wireless Intercom

6 x Motorola DP1400

4 x Motorola DM2600

2 x Sennheiser basestation (x 10 Beltpack)

LAY OUT

16 work stations

